

1.

2.

3.

| | | Qnet. ar | (Vdaf) | St. d | Mt | Na ₂ O+K ₂ O | DT |
|------|--|-------------|--------|-------|-----|------------------------------------|------|
| 50mm | | 4000kcal kg | 25% | 3.0 % | 8% | 2.5% | 1350 |
| | | 3000kcal kg | 25% | 4.5 % | --- | 2.5% | --- |

1.

3

1000

2

2024 5 9 10

< 1

10

1

2

15

8

3000

2

15

8

5000

20 /

8000

0.02 / .

3.

13%

4.

10

2304343109122102320

5.

3

6.

10

7.

10

8.

95% 110%

95%

110%

0.002 / .

0.002 / .

9.

0.02 / .

10.

2024 5

| | | | | | | | |
|--|-------------------------|------------------------|--|------------|-----|----|-------|
| Qhet. ar 4000 | 1. 4000 Qhet. ar 100 | 3500 Kcal / 0.001 | 1. 3.0%-St. d | 3.5% St. d | 0.1 | | 1 |
| St. d 3.0% | 2. 3500 Qhet. ar 100 | 3000 Kcal / | 2. 3.5%-St. d | 4.0% St. d | 0.1 | | 3 |
| Vdaf 25% | 3. Qhet. ar 100 | 3000 Kcal / 0.005 / | 3. St. d>4.0% | St. d | 0.1 | 5 | |
| Na ₂ O+k ₂ O 2.5% | 4. 100 | | : Vdaf >25% Vdaf | | 1 | | 0.005 |
| Q. xxx | 8000 < | 12000 | 2. 5% | | | | |
| / | 0.02 / | >12000 | 1. 2.5%-Na ₂ O+k ₂ O | 3.5% | 0.1 | | 2 |
| | | | 2. 3.5%-Na ₂ O+k ₂ O | 4.5% | 0.1 | | 5 |
| | | | 3. Na ₂ O+k ₂ O>4.5% | | 0.1 | 10 | |

Na₂O+K₂O

~~De~~ è ^üŷ 2XD